



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

BIB DATA SHEET

CONFIRMATION NO. 7330

SERIAL NUMBER	FILING or 371(c) DATE	CLASS	GROUP ART UNIT	ATTORNEY DOCKET NO.		
10/696,421	10/28/2003 RULE	600	3768	2002P03647US01		
APPLICANTS David J. Napolitano, Pleasanton, CA; Christopher R. Cole, Redwood City, CA; Gregory L. Holley, Mountain View, CA; John A. Hossack, Palo Alto, CA; Charles E. Bradley, Burlingame, CA; Patrick Phillips, Sunnyvale, CA;						
** CONTINUING DATA ***** This application is a CON of 10/081,978 02/21/2002 PAT 6,679,846 which is a DIV of 09/698,995 10/27/2000 PAT 6,436,046 which is a DIV of 09/282,396 03/31/1999 PAT 6,193,663 which is a CIP of 09/198,219 11/23/1998 ABN which is a CIP of 08/993,395 12/18/1997 ABN and is a CIP of 08/993,533 12/18/1997 ABN						
** FOREIGN APPLICATIONS *****						
** IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** 01/29/2004						
Foreign Priority claimed <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 35 USC 119(a-d) conditions met <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Verified and /HELENE CATHERINE BOR/ Acknowledged Examiner's Signature		<input type="checkbox"/> Met after Allowance HB Initials	STATE OR COUNTRY CA	SHEETS DRAWINGS 18	TOTAL CLAIMS 28	INDEPENDENT CLAIMS 4
ADDRESS SIEMENS CORPORATION INTELLECTUAL PROPERTY DEPARTMENT 170 WOOD AVENUE SOUTH ISELIN, NJ 08830 UNITED STATES						
TITLE Diagnostic ultrasound imaging method and system with improved frame rate						
FILING FEE RECEIVED 1000	FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following:		<input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees (Filing) <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) <input type="checkbox"/> 1.18 Fees (Issue) <input type="checkbox"/> Other _____ <input type="checkbox"/> Credit			